

JACO

Specifications

Mechanism or structure:

High resistance steel tube epoxy baked painted. Orthopaedic bed with quality continental weld-mesh, fixed to the frame with springs. Seating made with polypropylene fabric (sofabed only). Opening and closing operations with one single movement (sofabed only).

Mattress (sofabed only):

Expanded polyurethane foam CMHRP 35 Kg/m³; cover 100% CO, quilted with 100% PL gr. 200/m²
Flame test: The Furniture and Furnishing (Fire) (Safety) Regulation 1988 S.I. N. 1324 BS 5852 Part 2 Crib 5;

Frame:

Back: solid fir, poplar plywood and poplar multilayer.

Back panel: solid fir, poplar plywood, poplar multilayer and particle wood.

Armrests in solid fir and poplar multilayer.

Front panel (non-bearing) in poplar multilayer and particle wood.

Padding:

Seat: Expanded polyurethane foam 40 + 35 Kg/m³; needle-punched thermo-fixed fiber TL/S-C 200 gr/m² combined with Schedule 3 interliner and 2,5 mm. foam combined interliner.

Back pillows: feather covered with 65% polyester - 35% cotton fabric (special for feather).

Armrests: expanded polyurethane foam 65 + 40 Kg/m³; needle-punched thermo-fixed fiber TL/S-C 200 gr/m² combined with Schedule 3 interliner and 2,5 mm. foam combined interliner.

Frame: expanded polyurethane foam 40 Kg/m³; needle-punched thermo-fixed fiber TL/S-C 200 gr/m² combined with Schedule 3 interliner and 2,5 mm. foam combined interliner

Table:

Methacrylate

Fabric:

Specifications: see sample attached.

MADE IN ITALY