

JAN

Specifications

Mechanism or structure: High resistance steel tube epoxy baked painted. Orthopedic bed with quality continental weld-mesh, fixed to the frame with springs. Comfortable seating made with webbing. Opening and closing operations with one single movement (sofabed only).

Mattress standard (sofabed only): Interior springing made of a 2,20 mm. diam. hardened steel; CM expanded polyurethane foam 27 Kg/m³; cover in non woven fabric quilted with FR 100% PL 200 g/m² and non woven support; sides in non woven fabric quilted with mm. 5 foam and non woven support; finish with FR piping. The mattress meets the requirement of BS 7177: 2011 Specification for Resistance to ignition of Mattresses, Divans and Bed Bases for "Low Hazard".

Frame: Back: fir, poplar plywood and webbing. Armrests in solid fir, poplar plywood and particle wood. Front panel (nonbearing) in particle wood. Headboard: solid fir and particle wood.

Padding: Seat: Expanded polyurethane foam 35 Kg/m³, covered with PL fibre 400 gr/m² and 2,5 mm. combined interliner. Back: Expanded polyurethane foam 25 Kg/m³ covered with PL fibre 400 gr/m²; inner cover in 2,5 mm. combined interliner. Headboard and front panel: 10 mm. foam combined with interliner. Armrests: Expanded polyurethane foam 65 + 40 Kg/m³ covered with 10 mm. foam combined interliner.

Fabric: Specifications: see sample attached. Fabric meeting Cigarette + Match Test.

We suggest not to sit on armrests.

MADE IN ITALY

