

# JEREMIE

## *Specifications*

**Mechanism or structure:** High resistance steel tube epoxy baked painted. Orthopedic bed with quality continental weld-mesh (sofabed only), fixed to the frame with springs. Comfortable seating made with webbing. Opening and closing operations with two simple movements (sofabed only).

**Mattress used as standard (sofabed only):** Expanded polyurethane foam 35 Kg/m<sup>3</sup> CMHR covered on both sides with FR treated 100% cotton fabric quilted with 100% polyester fiber 400 g/m<sup>2</sup> and non-woven.

*The mattress meets the requirement of BS 7177 : 2011 Specification for Resistance to ignition of Mattresses, Divans and Bed Bases for "Low Hazard".*

**Frame:** Solid fir and poplar plywood.

**Base:** Solid beech wood, wenge or natural finish. RAL colors on request.

**Padding:** Seat: feather + down and interliner and expanded polyurethane foam 35 Kg/m<sup>3</sup> CMHR + 35 Kg/m<sup>3</sup> FR and needle-punched thermo-fixed fiber 200 g/m<sup>2</sup> combined with Schedule 3 interliner and 2,5 mm. quilted interliner. Frame: expanded polyurethane foam 40 kg/m<sup>3</sup> covered with Schedule 3 interliner combined with 200 g/m<sup>2</sup> PL fibre. Back rest cushions and candy bolster pillow (optional): feather + down, polyester fiber, covered with 65% polyester - 35% cotton fabric (special for feather).

**Fabric:** Specifications: see sample attached.

*All fabrics meet the requirements of Schedule 4, Part I, "The Cigarette Test" of The Furniture and Furnishing (Fire) (Safety) Regulations 1988 (as amended) S.I. 1324, using the BS 5852: Part 1: 1979, Methods of test for the igniability by smokers' materials of upholstered composites for seating.*

**MADE IN ITALY**